


Adventure Trails





Balance Walk
L 2400 W 125 H 433mm
FFH 433mm

Sloping Balance Walk
L 2400 W 125 H 434mm
FFH 434mm

Balance Junction
L 2400 W 2400 H 550mm
FFH 550mm


Balance Beam
L 2400 W 200 H 435mm
FFH 435mm

V Balance Beam
L 2002 W 2050 H 470mm
FFH 470mm

Balance Challenge
L 6900 W 1600 H 434mm
FFH 434mm

Three Bar Balance
L 5500 W 1115 H 511mm
FFH 511mm

Low Log Roll
L 3300 W 200 H 500mm
FFH 500mm



Balance Slalom
L 3250 W 1200 H 585mm
FFH 585mm

Sloping Balance Weave
L 2792 W 375 H 1800mm
FFH 555mm

Double Sloping Balance Weave
L 4589 W 1150 H 1800mm
FFH 570mm

Balance Weave
L 2800 W 375 H 1800mm
FFH 450mm

Walk and Stretch
L 2225 W 635 H 1000mm
FFH 300mm

Log Snake Weaver
L 1790 W 661 H 1500mm
FFH 300mm

Log Snake
L 1565 W 410 H 500mm
FFH 500mm

Log Stack
L 1250 W 1800 H 560mm
FFH 560mm

150mm Stepping Logs (set of 4)
L 400 W 150 H 400mm
FFH 400mm

200mm Stepping Logs (set of 4)
L 400 W 200 H 400mm
FFH 400mm




Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



600mm Wobble Board
L 600 W 195 H 380mm
FFH 600mm ▶




1.6m Wobble Board
L 1600 W 195 H 380mm
FFH 600mm ▼



Tightrope Crossing
L 4695 W 850 H 1200mm
FFH 400mm ▼



Parallel Bars
L 2400 W 725 H 1175mm
FFH 1175mm ◀




Leap Frog ▶
L 9125 W 125 H 600mm
FFH 600mm




Free Standing Tunnel ▲
L 1338 W 850 H 965mm
FFH 135mm




Log Hurdles ▲
L 8125 W 2400 H 903mm
FFH 903mm




Roll Over Bars
L 3200 W 125 H 1100mm
FFH 1100mm ▼




1.5m Chin Ups ▲
L 3200 W 125 H 1500mm
FFH 1500mm




Crawl Net
L 2107 W 1179 H 599mm
FFH 599mm ▼



Spider Web Net
L 3243 W 3243 H 1500mm
FFH 459mm ▼




Rope Junction
L 2850 W 1500 H 1600mm
FFH 575mm ▼




Wobble Log Bridge
L 2700 W 1200 H 1700mm
FFH 536mm ◀




Rope Crossing
L 2650 W 1000 H 1400mm
FFH 450mm ◀




Wobble Bridge
L 2700 W 1200 H 1400mm
FFH 513mm ◀



Burma Bridge ▲
L 3000 W 1125 H 1450mm
FFH 523mm




Suspension Bridge
L 2225 W 1300 H 1400mm
FFH 513mm ◀



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.





Rope Bridge
L 2650 W 1125 H 1400mm
FFH 1400mm




Underground Tunnel
L 1925 W 1450 H 1200mm
FFH Dependant on mound
Mound not included.



Rope Tunnel
L 2700 W 1000 H 1425mm
FFH 1425mm




Sleeper Tunnel With Steps
L 2400 W 1390 H 1700mm
FFH 859mm




Slalom Rope Walk
L 4322 W 695 H 1800mm
FFH 458mm




Cross Rope
L 3350 W 250 H 2700mm
FFH 1000mm




Rope Walk
L 3350 W 250 H 2700mm
FFH 460mm




Drop Rope Traverse
L 3350 W 300 H 2500mm
FFH 521mm



Tarzan Traverse
L 3350 W 300 H 2700mm
FFH 520mm




Log Roll
L 3350 W 250 H 2700mm
FFH 462mm




Log Rope
L 3000 W 450 H 2575mm
FFH 436mm




Log Roll with Drop Ropes
L 3350 W 225 H 2500mm
FFH 462mm




Rope Weave
L 3350 W 300 H 2700mm
FFH 520mm



Vertical Spider Net
L 3000 W 300 H 2550mm
FFH 2550mm



Monkey Bars
L 2862 W 1110 H 1850mm
FFH 1850mm



Monkey Bar Log
L 3450 W 720 H 2085mm
FFH 1975mm




Tarzan Ring Beam
L 3162 W 1110 H 2050mm
FFH 1750mm



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.





A-Frame High
L 2093 W 1974 H 2000mm
FFH 2000mm ▶

A-Frame Low
L 1974 W 1600 H 1500mm
FFH 1500mm

A Frame Mini ▲
L 1800 W 1465 H 1000mm
FFH 1000mm

Log Climber Low
L 1692 W 1849 H 1500mm
FFH 1500mm

A-Frame Low with Nets ▲
L 1516 W 2110 H 1500mm
FFH 1500mm


A-Frame High with Nets
L 2000 W 2110 H 2000mm
FFH 2000mm

Low Boulder Climber
L 1525 W 1595 H 1500mm
FFH 1500mm

Log Climber High ▲
L 2093 W 1849 H 2000mm
FFH 2000mm

High Boulder Climber ▲
L 2801 W 1974 H 2000mm
FFH 2000mm

Steel feet
Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Climb Net
L 150 W 2060 H 1500mm
FFH 1500mm

Mini Twist Net
L 2632 W 1100 H 1500mm
FFH 1500mm

Climb Ladder
L 150 W 1350 H 1730mm
FFH 1730mm

Twist Net
L 3150 W 2295 H 1900mm
FFH 1900mm

Timber Gate Climber
L 1900 W 312 H 1900mm
FFH 1900mm


Wall Net Combo
L 6770 W 150 H 2380mm
FFH 1139mm (Double Sided)

Traverse Wall
L 2850 W 150 H 1800mm
FFH 500mm (Double Sided)


Traverse Weave Combo ▲
L 2764 W 802 H 2100mm
FFH 599mm (Double Sided)

Jigsaw Traverse Wall
L 2670 W 825 H 1850mm
FFH 599mm


Zig Zag Traverse Wall
L 3922 W 840 H 1800mm
FFH 599mm




6m Sleeper Traverse Wall
L 6000 W 190 H 1755mm
FFH 590mm




Zig-Zag Sleeper Traverse Wall
L 2720 W 775 H 1755mm
FFH 590mm




Regular Embankment Net
L 3640 W 2235 H 599mm
FFH 599mm



Medium Embankment Net
L 4305 W 2475 H 599mm
FFH 599mm



Large Embankment Net
L 5050 W 2800 H 825mm
FFH 825mm




Sleeper Climb Wall
L 4000 W 385 H 2340mm
FFH 2340mm (Double Sided)



Embankment Ramp
L 2196 W 1350 H 1300mm
FFH 275mm

FFH is assuming the ramp is situated on a bank with no drops.

Recommended angle for embankment is 30 degrees.



Trail 1

L=21m W=1.6m Not including Safety Surface
Consists of: *Sloping Balance Walk, Balance Walk, Drop Rope Traverse, 200mm Stepping Logs, Sloping Balance Weave, Balance Challenge.*



Trail 2

L=21m W=0.64m Not including Safety Surface
Consists of: *Sloping Balance Walk, Cross Rope, 200mm Stepping Logs, Log Rope, Log Snake, Rope Walk, Walk and Stretch, Sloping Balance Walk.*



Trail 3

L=20m W=1.3m Not including Safety Surface
Consists of: *Sloping Balance Walk, Suspension Bridge, Log Snake, Log Roll, 200mm Stepping Logs, Burma Bridge, Sloping Balance Walk, Log Snake Weaver.*



Trail 4

L=25.5m W=1.1m Not including Safety Surface
Consists of: *Tightrope Crossing, Rope Tunnel, 200mm Stepping Logs, Balance Walk, Traverse Weave Combo, Climb Ladder, Tarzan Ring Beam.*



All trails can be arranged differently to suit your needs.

Steel feet


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Trail 5

L=17.5m W=1.2m Not including Safety Surface


Consists of: 200mm Stepping Logs, Crawl Net, Slalom Rope Walk, Rope Weave, 1.6m Wobble Board, Balance Slalom.



Trail 6

L=24m W=1.6m Not including Safety Surface


Consists of: Balance Challenge, Log Rope, 200mm Stepping Logs, Double Sloping Balance Weave, Drop Rope Traverse, Balance Slalom.



Trail 7

L=22.9m W=1.2m Not including Safety Surface

Consists of: Tightrope Crossing, Wobble Bridge, 200mm Stepping Logs, Log Roll with Drop Ropes, Rope Bridge, Sloping Balance Weave.



Trail 8

L=13.75m W=0.6m Not including Safety Surface


Consists of: Balance Walk, Rope Walk, Log Rope, Cross Rope Balance Walk.

All trails can be arranged differently to suit your needs!

Trail 9

L=9m W=0.8m Not including Safety Surface

Consists of: Slalom Rope Walk, Log Snake, Jigsaw Traverse Wall.



Trail 10


L=10.5m W=1.2m Not including Safety Surface

Consists of: Sloping Balance Weave, Log Snake Weaver, Balance Slalom, Free Standing Tunnel.

Steel Trail 1

L=12.1m W=1.6m Not including Safety Surface

CONSISTS OF: Sloped Balance Beam, Drop Rope Traverse, Slalom Rope Walk, Sloping Balance Weave.



Steel Trail 2

L=14.2m W=0.45m Not including Safety Surface

Consists of: Sloped Balance Beam, Rope Walk, Log Rope, Cross Rope, Sloped Balance Beam.



Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.



Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Sloping Balance Beam
L 2400 W 100 H 410mm
FFH 410mm




Steel 3 Bar Balance Beam
L 7200 W 100 H 415mm
FFH 415mm




Steel Balance Beam
L 2400 W 100 H 410mm
FFH 410mm




Steel Stilts
L 3600 W 540 H 1800mm
FFH 590mm



Steel Sloping Balance Weave
L 2800 W 300 H 1800mm
FFH 475mm




Steel Slalom Rope Walk
L 3066 W 1587 H 1800mm
FFH 480mm



Steel Gate Climber
L 1337 W 100 H 1500mm
FFH 1500mm




Steel Free Standing Tunnel
L 1300 W 760 H 975mm
FFH 140mm




Steel Leap Frog
L 8484 W 100 H 1000mm
FFH 1000mm




Steel Cross Rope
L 3200 W 300 H 1800mm
FFH 1000mm




Steel 1.5m Steel Chin Ups
L 3100 W 100 H 1500mm
FFH 1457mm



Steel Rope Walk
L 3200 W 300 H 1800mm
FFH 485mm



Steel Spider Web Net
L 2285 W 2285 H 1500mm
FFH 580mm




Different paint options available upon request


Steel Trails

Dimensions do not include surfacing
FFH - Free Fall Height

Steel Log Rope
L 2850 W 450 H 2500mm
FFH 461mm




Steel Drop Rope Traverse
L 2850 W 300 H 2500mm
FFH 425mm



Steel Tarzan Traverse
L 2850 W 300 H 2500mm
FFH 425mm




Steel Burma Bridge
L 2900 W 850 H 1460mm
FFH 520mm




Steel Monkey bars
L 2550 W 1060 H 2000mm
FFH 1886mm




Steel Tarzan Ring Beam
L 2540 W 1065 H 2143mm
FFH 1750mm



Steel Wobble Bridge
L 2650 W 1100 H 1410mm
FFH 510mm




Steel Mini Twist Net
L 2550 W 1100 H 1500mm
FFH 1500mm



Steel Suspension Bridge
L 2150 W 1100 H 1400mm
FFH 510mm



Steel Rope Bridge
L 2600 W 1100 H 1410mm
FFH 1410mm



Different paint options available upon request



The ability to offer unrivalled value for money whilst still ensuring exceptional quality and longevity is key. The Adventure Trails range accommodates all ages, budgets and play scheme sizes. Our uncompromising approach to safety during the design and manufacturing process is paramount.

With this in mind all the Timber Trail items have been independently certified by the Play Inspection Company to meet the demands BS EN 1176.

In order to ensure the highest level of accuracy, all units are produced on a custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.